

The 3M difference.

There are thousands of window film dealers in the country, but only a select few have been chosen to be part of the 3M network. 3M™ Authorized Dealer Installers are available to help you select the right window film for your vehicle. Whether you want to reduce heat and glare or increase privacy and security, there's a 3M™ Window Film to meet your needs.

Up to SPF
690

Invented, innovated and improved.

Improving comfort, protecting vehicle interiors and blocking UV rays are hallmarks of 3M™ Automotive Window Films. 3M was issued the first sun control window film patent in 1966, and our innovative window film products have helped provide protection from the sun's harmful rays for 50 years. Put the innovation of 3M to work for you.

3M.com/WindowFilm



Renewable Energy Division
3M Center, Building 235-2S-27
St. Paul, MN 55144-1000
3M.com/windowfilm

© 3M 2016. All rights reserved. 3M is a trademark of 3M Company. Used under license by 3M subsidiaries and affiliates.

NOTE: The law on auto tint varies by state or province. Please check your state or province laws or ask your dealer for films approved for use on vehicles.

98-0150-0682-2

3M Science.
Applied to Life.™

3M™ Automotive Window Film
FX Premium Series

Performance and value.

Hot looks outside, cool and private inside.

3M™ Automotive Window Film FX Premium Series delivers strong performance at an affordable price. Non-metallized technology ensures no signal interference with wireless devices.



FX Premium Series

3M™ Automotive Window Film FX Premium Series

Stay cool


The FX Premium Series incorporates a unique process that allows for strong heat rejection, low reflectivity and protection from ultraviolet (UV) rays. FX Premium Series rejects up to 45% of the total solar energy coming through your windows.



Reduce heat

Stay connected

The FX Premium Series is a non-metallized window film that won't interfere with mobile devices, GPS or satellite radio reception.



Non-metallized — no signal interference

Superior UV protection

Blocking up to 99% of UV light, the FX Premium Series provides a total Sun Protection Factor (SPF) of up to 690. This helps provide vehicle occupants with significant protection from harmful UV rays.



Block up to 99% UV rays

Increase privacy

Increase privacy for you and your valuables with the FX Premium Series, available in tint levels that can block up to 95% of visible light into your vehicle.



Increase privacy & security

Reduce glare

The FX Premium Series reduces up to 93% of the glare from blinding sunlight, allowing you to see better and concentrate more on driving.



Reduce glare

Limited lifetime warranty

The FX Premium Series is backed by a limited lifetime warranty, one of the most comprehensive warranties you can get. Sold and installed by professional 3M™ Authorized Dealer Installers, our films are durable, designed to last and virtually maintenance free.



Limited lifetime warranty



Terms to know

- ▶ **Total Solar Energy Rejected (TSER)**
The percentage of total solar energy rejected by filmed glass. The higher this value, the less solar heat is transmitted.
- ▶ **Visible Light Transmitted**
The percentage of visible light that passes directly through filmed glass: the higher the number, the lighter the film.
- ▶ **UV Rejection**
The percentage of harmful ultraviolet light that is rejected by filmed glass. Ultraviolet light contributes to sunburn and other harmful skin conditions and to the fading and deterioration of fabrics and leather.
- ▶ **Glare Reduction**
The percentage by which visible light is reduced by the addition of film.



Choose your level of protection

The FX Premium Series is available in a variety of tint levels to meet your needs.

		FX-PM 5	FX-PM 15	FX-PM 25	FX-PM 30	FX-PM 35	FX-PM 55
TSER	Total Solar Energy Rejected	45%	43%	41%	38%	37%	32%
	IR Rejection*	21%	18%	19%	22%	21%	23%
	UV Rejection	99%	96%	96%	96%	96%	96%
	Glare Reduction	93%	81%	71%	61%	54%	34%

* Performance data generated using applicable industry test methods and standards. Infrared rejection measured on film only from 900nm to 1000nm.

